

GVEV7.R27326 - SWINGING FIRE DOOR CLOSERS CERTIFIED FOR CANADA

Swinging Fire Door Closers Certified for Canada

See General Information for Swinging Fire Door Closers Certified for Canada

ZHEJIANG DORRENHAUS HARDWARE INDUSTRY CO LTD

R27326

#350-1 GUILAN RD
QIAODUN TOWN
CANGNAN, ZHEJIANG 325806 CHINA

For self closing door closers, without hold-open feature, surface mounted type, size 2 Model(s) D4000*

For self closing door closers, without hold-open feature, surface mounted type, size 2-5 Model(s)
D4000A*, D4000ALG*

For self closing door closers, without hold-open feature, surface mounted type, size 2-6 Model(s)
D4000*, D4000F(size 2-5)*, D7000 DA*, D7000*, D8000 DA*, D8000*, D8000A *, D8000A DA*, D8000ALG*,
D8000F DA*, D8000F(size 2-6)*, D9000 DA*, D9000*

For self closing door closers, without hold-open feature, surface mounted type, size 3 Model(s)
D300S*, D4000F-3*, D4000F-3NBC*, D500*

For self closing door closers, without hold-open feature, surface mounted type, size 4 Model(s)
D4000F-4*, D4000F-4NBC*

For self-closing doors, concealed mounted type Model(s) D30

For self-closing doors, surface mounted type Model(s) D700*

* - Investigated to Standard UL 10C, designed to be used with swinging type fire doors rated up to and including 3h.

Last Updated on 2017-08-31

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"